

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
370	Massachusetts Bay Disposal Area Lighted Buoy MBDA	42 25 18 N 70 34 54 W	FI Y 4s			Yellow.	Maintained by the U.S. Army Corps of Engineers.
		*					24/01
*15503	Douglas Rock Danger Buoy RK					White can with orange bands.	
							24/01
20130	Intrepid Rock Isolated Danger Buoy DIR On southeast side of rock.					Black and red bands with two black spherical topmarks; can.	
	*					*	24/01
21810	Black Ledge Buoy 2BL					Red nun.	
	*						24/01
21885	Melton Rocks Buoy On north side of Melton Ledge.					White can with orange bands and diamond worded ROCKS.	
	*					*	24/01
	*Delete Heading: *Greens Harbor						
21965	- Buoy 2 On southeast side of shoal.						Remove from list.
							*
							24/01
	Greens Harbor						
21970	- Buoy On southwest side of shoal.					White can with orange bands and diamond worded ROCKS.	
	*					*	24/01
37273	- Channel Lighted Buoy 6A						Remove from list.
							*
							24/01

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*501	Rudee Inlet Entrance Lighted Buoy 1	36 49 46 N 75 57 51 W	FI G 2.5s		3	Green.	Maintained from Apr. 1 to Nov. 30.
							24/01
*503	Rudee Inlet Entrance Lighted Buoy 2	36 49 50 N 75 57 52 W	FI R 2.5s		3	Red.	Maintained from Apr. 1 to Nov. 30.
							24/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
505	RUDEE INLET JETTY LIGHT 4	36 49 50 N 75 58 00 W	FI R 4s	22	4	TR on pile.	
	*	*	*		*		24/01
510	Rudee Inlet Jetty Daybeacon 5					SG on pile.	
	*		*	*	*		24/01
*Add Note:							
Oyster Creek Channel							
*Positions of buoys frequently shifted with changing conditions.							
1073	- Buoy 35					Green can.	
							24/01
16585	- ENTRANCE LIGHT 5		FI G 4s	15	4	SG on pile.	
	*			*		*	* 24/01
St. Catherine Sound Lower Entrance							
Aids located 20 feet outside channel limit.							
17215	- LIGHT 1L	38 13 36 N 76 46 51 W	FI G 4s	18	4	SG on pile.	
		*					24/01
18375	WHITESTONE POINT LIGHT	38 41 05 N 77 07 23 W	Iso W 6s	15	7	NW on white tower.	Obscured from 035° to 170°.
		*					24/01
Calabash Creek							
31115	- Daybeacon 2	33 52 16 N 78 34 14 W				TR on pile.	
		*					24/01
34920	- Entrance Daybeacon 3						Remove from list. *
							24/01
36390	- LIGHT 375						Remove from list. *
							24/01
38645	- Daybeacon 1	34 42 42 N 76 43 18 W				SG on pile.	
	*					*	24/01
38647	- Buoy 1A						Remove from list. *
							24/01
38650	- Buoy 1B						Remove from list. *
							24/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
40410	- LIGHT 101 35 feet outside channel limit.	33 53 15 N 78 29 08 W	FI G 4s	15	4	SG-SY on pile.	
		*					24/01
CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
	*Delete Heading: *Baynard Cove Channel						
4345	- Daybeacon 1						Remove from list.
							* 24/01
4350	- Daybeacon 3						Remove from list.
							* 24/01
	*Add Heading: *Baynard Cove Channel						
4355	- Daybeacon 4				TR on pile.		Private aid.
							24/01
4365	- Junction Daybeacon						Remove from list.
							* 24/01
*18995.02	- Daybeacon 4				TR on pile.		Private aid.
							24/01
*18995.03	- Daybeacon 6				TR on pile.		Private aid.
							24/01
*18995.04	- Daybeacon 8				TR on pile.		Private aid.
							24/01
*18995.05	- Daybeacon 10				TR on pile.		Private aid.
							24/01
*18995.06	- Daybeacon 12				TR on pile.		Private aid.
							24/01
*18995.07	- Daybeacon 13				SG on pile.		Private aid.
							24/01
*18995.08	- Daybeacon 15				SG on pile.		Private aid.
							24/01
*18995.09	- Daybeacon 16				TR on pile.		Private aid.
							24/01
*18996	- Daybeacon 18				TR on pile.		Private aid.
							24/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*18996.01	- Daybeacon 22					TR on pile.	Private aid. 24/01
*18996.02	- Daybeacon 24					TR on pile.	Private aid. 24/01
*18996.03	- Daybeacon 26					TR on pile.	Private aid. 24/01
*18996.04	- Daybeacon 27					SG on pile.	Private aid. 24/01
*18996.05	- Daybeacon 28					TR on pile.	Private aid. 24/01
*18996.06	- Daybeacon 29					SG on pile.	Private aid. 24/01
*18996.07	- Daybeacon 30					TR on pile.	Private aid. 24/01
*18996.08	- Daybeacon 32					TR on pile.	Private aid. 24/01
*18996.09	- Daybeacon 33					SG on pile.	Private aid. 24/01
*18997	- Daybeacon 34					TR on pile.	Private aid. 24/01
*18997.01	- Daybeacon 35					SG on pile.	Private aid. 24/01
*18997.02	- Daybeacon 36					TR on pile.	Private aid. 24/01
40600	- LIGHT 14	29 03 25 N 80 55 25 W	FI R 4s	12	3	TR-TY on pile.	 24/01
		*					24/01
*60985.01	- Daybeacon 6A					TR on pile.	Private aid. 24/01
*61010.01	- Daybeacon 12					TR on pile.	Private aid. 24/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
545	LOOP Fairway Lighted Buoy 3	28 50 09 N 90 02 24 W	FI G 6s			Green.	Private aid.
		*					24/01
550	LOOP Fairway Lighted Buoy 4	28 54 52 N 89 57 00 W	FI R 6s			Red	Private aid.
		*					24/01
555	LOOP SPM Lighted Mooring Buoy 102	28 53 18 N 89 59 59 W	Q W	18		White deck with yellow sides.	Private aid.
		*					24/01
560	LOOP SPM Lighted Mooring Buoy 103	28 52 16 N 90 00 18 W	Q W	18		White deck with yellow sides.	Private aid.
		*					24/01
565	LOOP SPM Lighted Mooring Buoy 104	28 51 45 N 90 01 24 W	Q W	18		White deck with yellow sides.	Private aid.
		*					24/01
651	Amerada Hess -102-6 Lighted Buoy Marks subsea installation.						Remove from list.
							* 24/01
9852	USGS LIGHT B						Remove from list.
							* 24/01
10282	USGS LIGHT A						Remove from list.
							* 24/01
12695	- RANGE B FRONT LIGHT	28 54 54 N 89 25 12 W	Q W	28		KRW on skeleton tower on piles.	
			*	*			* 24/01
*12697	- RANGE B FRONT PASSING LIGHT		FI W 2.5s	17	4	On same structure as Southwest Pass Range B Front Light.	24/01
12870	- HEAD RANGE FRONT LIGHT	29 07 54 N 89 15 24 W	F W	33		KRW on skeleton tower on piles. Visible 2° each side of rangeline.	
			*	*			* 24/01
*12873	- HEAD RANGE FRONT PASSING LIGHT		FI W 4s	34	6	On same structure as Southwest Pass Head Range Front Light.	24/01
12925	PILOTTOWN RANGE A REAR LIGHT 480.1 yards, 354.8° from front light.		Iso W 6s	41		KRW on skeleton tower on mud sills.	
				*			24/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
12980	CUBITS GAP LIGHT 4 LDB mile 2.8.	29 11 33 N 89 15 52 W	Iso R 6s		7	TR on skeleton tower.	HORN: 1 blast ev 10s (1s bl). Continuously from Nov. 1 to Apr. 30.
		*					24/01
14230	LOWER BELMONT CROSSING RANGE FRONT LIGHT LDB mile 152.2.	30 01 07 N 90 46 01 W	F W	18		KRW on skeleton tower.	Visible 2° each side of range line. Lighted throughout 24 hours.
				*			24/01
14235	LOWER BELMONT CROSSING RANGE REAR LIGHT LDB Mile 152.2 102 yards, 049° from front light.		F W	47		KRW on skeleton tower on piles.	Visible 2° each side of range line. Lighted throughout 24 hours.
				*			24/01
15170	DYNEGY LPG DOCK NO.1 LIGHT	29 13 26 N 89 23 33 W	FI G 2.5s	40		On dock.	Private aid.
	*	*				*	24/01
15175	DYNEGY LPG DOCK NO.2 LIGHT	29 13 30 N 89 23 30 W	FI G 2.5s	40		On dock.	Private aid.
	*					*	24/01
16520	- RANGE FRONT LIGHT	29 05 57 N 90 13 23 W	Q G	17		KRW on platform.	
			*	*			*
							24/01
*16523	- RANGE FRONT PASSING LIGHT		FI G 4s	19	4	On same structure as Belle Pass Range Front Light.	
							24/01
16525	- RANGE REAR LIGHT 2,997 yards, 012.2° from front light.	29 07 24 N 90 13 01 W	Oc G 4s	67		KRW on platform.	
			*	*			*
							24/01
*16527	- RANGE REAR PASSING LIGHT		FI G 4s	12	4	On same structure as Belle Pass Range Rear Light.	
							24/01
17295	- RANGE B REAR LIGHT 1330 yards, 129.8° from front light.		Iso W 6s	65		KRW on steel tower.	Ra ref.
			*	*			*
							24/01
*17297	- RANGE B REAR PASSING LIGHT		FI W 4s	14	5	On same structure as Houma Navigation Canal Range B Rear Light.	
							24/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
20555	- RANGE A FRONT LIGHT	29 46 42 N 93 20 48 W	FI R 2.5s	45		KRW on skeleton tower on piles.	
			*	*			* 24/01
*20557	- RANGE A FRONT PASSING LIGHTS (2)		FI W 4s	15	4	On same structure as Calcasieu Channel Range A Front Light.	24/01
20695	- RANGE C FRONT LIGHT	29 48 54 N 93 21 00 W	Q W	30		KRW on skeleton tower.	Visible 2° each side of rangeline.
			*	*			* 24/01
*20697	- RANGE C FRONT PASSING LIGHT		FI G 2.5s	32	4	On same structure as Calcasieu Channel Range C Front Light.	24/01
20865	- RANGE D FRONT LIGHT	30 05 42 N 93 19 30 W	Q W	30		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
			*	*			* 24/01
*20867	- RANGE D FRONT PASSING LIGHT		FI R 4s	32	4	On same structure as Calcasieu Channel Range D Front Light.	24/01
21915 33995	- RANGE K FRONT LIGHT	29 56 06 N 93 52 06 W	Q W	30		KRW-I on skeleton tower on piles.	Visible 2° each side of rangeline.
			*	*			* 24/01
*21917 33997	- RANGE K FRONT PASSING LIGHT		FI R 2.5s	15	3	On same structure as Neches Canal Range K Front Light.	24/01
21925 33965	- UPPER RANGE M FRONT LIGHT	29 58 16 N 93 51 10 W	Q W	30		KRW-I on skeleton tower on mud sills.	For upbound traffic. Visible 2° each side of rangeline.
							* 24/01
*21927 33967	- UPPER RANGE M FRONT PASASING LIGHT		FI G 2.5s	31	3	On same structure as Neches Canal Upper Range M Front Light.	24/01
22050 33870	- RANGE O FRONT LIGHT	29 59 30 N 93 47 00 W	Q R	25		KRW on skeleton tower on mud sills.	For eastbound traffic. Visible 2° each side of rangeline.
			*	*			* 24/01
*Add Heading: *Ingleside Exclusion Area							
*27488.1	- Lighted Buoy A	27 49 07 N 97 12 08 W	FI W 2.5s			White with orange diamond inside orange square.	Marks Navy exclusion area. Navy maintained.
							24/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2000

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*27488.2	- Lighted Buoy B		FI W 2.5s			White with orange diamond inside orange square.	Marks Navy exclusion area. Navy maintained. 24/01
*27488.3	- Lighted Buoy C		FI W 2.5s			White with orange diamond inside orange square.	Marks Navy exclusion area. Navy maintained. 24/01
*27488.4	- Lighted Buoy D		FI W 2.5s			White with orange diamond inside orange square.	Marks Navy exclusion area. Navy maintained. 24/01
*27488.5	- Lighted Buoy E	27 49 08 N 97 12 12 W	FI W 2.5			White with orange diamond inside orange square.	Marks Navy Exclusion area. Navy maintained. 24/01
*27488.6	- Lighted Buoy F		FI W 2.5s			White with orange diamond inside orange square.	Marks Navy exclusion area. Navy maintained. 24/01
*27488.7	- Lighted Buoy G		FI W 2.5			White with orange diamond inside orange square.	Marks Navy exclusion area. Navy maintained. 24/01
*Add Heading: *Corpus Christi Channel							
27490	- LIGHT 36	27 49 01 N 97 12 47 W	FI R 4s	17	3	TR on pile.	Ra ref. 24/01
27865	- Daybeacon 20	27 52 37 N 97 15 28 W				TR on pile.	 24/01
*							
Sabine - Neches Canal							
33870 22050	- RANGE O FRONT LIGHT	29 59 30 N 93 47 00 W	Q R	25		KRW-I on skeleton tower on mud sills.	For eastbound traffic. Visible 2° each side of rangeline. * 24/01
33965 21925	- UPPER RANGE M FRONT LIGHT	29 58 16 N 93 51 10 W	Q W	30		KRW-I on skeleton tower on mud sills.	For upbound traffic. Visible 2° each side of rangeline. * 24/01
*33967 21927	- UPPER RANGE M FRONT PASSING LIGHT		FI G 2.5s	31	3	On same structure as Neches Canal Upper Range M Front Light.	 24/01
33995 21915	- RANGE K FRONT LIGHT	29 56 06 N 93 52 06 W	Q W	30		KRW-I on skeleton tower on piles.	Visible 2° each side of rangeline. * 24/01
*33997 21917	- RANGE K FRONT PASSING LIGHT		FI R 2.5s	15	3	On same structure as Neches Canal Range K Front Light.	 24/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
	*Delete Heading: *Tiki Island Channel						
34750	- Daybeacon 4						Remove from list.
							* 24/01
	*Add Heading: *Tiki Island Channel						
*34751	- Daybeacon 1	29 17 33 N 94 53 31 W			SG on pile.		Private aid.
							24/01
*34752	- Daybeacon 2				TR on pile.		Private aid.
							24/01
*34753	- Daybeacon 3				SG on pile.		Private aid.
							24/01
34755	- Daybeacon 5						Remove from list.
							* 24/01
*34756	- Daybeacon 4	29 17 37 N 94 53 34 W			TR on pile.		Private aid.
							24/01
*34757	- Daybeacon 5				SG on pile.		Private aid.
							24/01
*34758	- Daybeacon 6				TR on pile.		Private aid.
							24/01
34760	- Daybeacon 6						Remove from list.
							* 24/01
*34761	- Daybeacon 7	29 17 46 N 94 53 53 W			SG on pile.		Private aid.
							24/01
*34762	- Daybeacon 8				TR on pile.		Private aid.
							24/01
*34763	- Daybeacon 9				SG on pile.		Private aid.
							24/01
34765	- Daybeacon 7						Remove from list.
							* 24/01
*34766	- Daybeacon 10	29 17 51 N 94 54 02 W			TR on pile.		Private aid.
							24/01
*34767	- Daybeacon 11				SG on pile.		Private aid.
							24/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2000

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*34768	- Daybeacon 12				TR on pile.		Private aid. 24/01
34770	- Daybeacon 8						Remove from list. * 24/01
34775	- Daybeacon 9						Remove from list. * 24/01
34780	- Daybeacon 10						Remove from list. * 24/01
34785	- Daybeacon 11						Remove from list. * 24/01
34790	- Daybeacon 12						Remove from list. * 24/01

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
11244	Hayden Island Anchorage Lighted Buoy B	45 38 20 N 122 43 31 W	FI Y 6s		Yellow.		Private aid. * 24/01
14900	POST OFFICE RANGE REAR LIGHT 235 yards, 347° from front light.		Iso W 6s	45	KRB on skeleton tower.		Visible 14° each side of range line. * 24/01
26640	- NORTH ENTRANCE LIGHT 2	57 46 57 N 152 24 35 W	FI R 6s	17	4 TR on skeleton tower.		 * 24/01

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*2975.1	- EU 6 (C)				Red nun.		Maintained from May 1 to Oct. 7. 24/01
*2975.2	- Limekiln Reef Buoy E7 (C)				Green can.		Maintained from May 1 to Oct. 7. 24/01
*2975.3	- Bird Island Reef EU 8 (C)				Red nun.		Maintained from May 1 to Oct. 7. 24/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*3359.1	- Safety Buoy 1 (C)	42 03 48 N 79 02 30 W				White can.	Maintained from May 1 to Oct. 7. 24/01
*3359.2	- Safety Buoy 2 (C)					White can.	Maintained from May 1 to Oct. 7. 24/01
*3359.3	- Safety Buoy 3 (C)					White can.	Maintained from May 1 to Oct. 7. 24/01
*3359.4	- Safety Buoy 4 (C)					White can.	Maintained from May 1 to Oct. 7. 24/01
*3359.5	- Safety Buoy 5 (C)					White can.	Maintained from May 1 to Oct. 7. 24/01
*3359.6	- Safety Buoy 6 (C)					White can.	Maintained from May 1 to Oct. 7. 24/01
11388	- Buoy 1						<i>Remove from list.</i> * 24/01
11388.2	- Buoy 3					Green can.	Private aid. * 24/01
14603	Bay Furnace Buoy 2	46 26 33 N 86 41 19 W				Red nun.	 * 24/01
18515	- Buoy 13	44 14 15 N 86 18 09 W				Green can.	 * 24/01
19345	- Buoy 5	42 46 45 N 86 09 53 W				Green can.	 * 24/01
19380	- Buoy 9	42 46 41 N 86 09 08 W				Green can.	 * 24/01
19390	- Buoy 11	42 46 43 N 86 08 57 W				Green can.	 * 24/01
19415	- Buoy 17	42 47 26 N 86 07 18 W				Green can.	 * 24/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
19420	- <i>Lighted Buoy 19</i>	42 47 35 N 86 07 11 W	FI G 4s		4	Green.	Replaced by can from Nov. 7 to Apr. 14.
		*					24/01
21320	- Outer Shoal Buoy 1 Marks east side of shoal.	45 13 58 N 86 55 29 W				Green can.	Maintained from Apr. 21 to Dec. 21.
		*					24/01
DUTCH JOHNS POINT TO FISHERY POINT (Chart 14908)							
Big Bay De Noc							
21590	<i>Fayette Lighted Bell Buoy 2</i> Marks west side of shoal.	45 43 21 N 86 40 21 W	FI R 4s		4	Red.	Maintained from Apr. 28 to Nov. 21.
		*					24/01
21690	<i>Squaw Point Lighted Buoy 12</i>	45 49 55 N 87 00 26 W	FI R 6s		5	Red.	Maintained from Apr. 28 to Nov. 21.
		*					24/01
21830	- <i>Southeast Lighted Bell Buoy 6</i>	45 09 01 N 87 15 00 W	FI R 4s		4	Red.	Replaced by nun from Nov. 14 to May 1.
		*					24/01
22060	<i>Suamico Lighted Buoy 8</i>		FI R 4s		3	Red.	Maintained from May 7 to Nov. 1. Buoy may be relocated without prior notice to mark the best channel.
	*						24/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.